

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Tanaka et al.

Patent No.: 7,119,764

Issued: October 10, 2006

For: COMBINATION INDICATOR
ASSEMBLY IN VEHICLE
INSTRUMENT PANEL

March 29, 2007

Costa Mesa, California 92626-7689

REQUEST FOR CERTIFICATE OF CORRECTION

ATTN: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sirs:

Attached is a proposed Certificate of Correction to be issued in the above-identified case.

In the Claims:

Claim 1, Column 8, line 9, after "disposed" insert --inside--.

Claim 1, Column 8, line 11, "mater" should be --meter--.

Claim 1, Column 8, line 13, "pf" should be --of--.

Claim 2, Column 8, line 15, "to" should be --the--.

Claim 3, Column 8, line 20, after "of" insert --a--.

Claim 5, Column 8, line 33, "motivated" should be --activated--.

Claim 5, Column 8, line 35, "ad" should be --and--.

Claim 5, Column 8, line 36, "round" should be --around--.

Claim 5, Column 8, line 37, "openings" should be --opening--.

Claim 5, Column 8, line 41, the period (.) after "numerical" should be deleted.

Claim 7, Column 8, line 55, "to" should be --the--.

Claim 9, Column 9, line 11, "Includes" should be --includes--.

Claim 11, Column 9, line 15, "an" should be --as--.

Claim 11, Column 9, line 17, "potion" should be --portion--.

Claim 11, Column 9, line 19, after "between a" insert--pair--.

Claim 14, Column 10, lines 10-11, "multifunction" should be --multifunctional--.


Claim 15, Column 10, line 18, "ti" should be --the--.

No fee is required, since these represent U.S. Patent Office errors. However, if any fees are deemed necessary, please charge our Deposit Account No. 19-2814.

If there are any questions with regard to this matter, please contact the undersigned attorney at the listed telephone number.

Very truly yours,

SNELL & WILMER L.L.P.



Joseph W. Price
Registration No. 25,124
600 Anton Boulevard, Suite 1400
Costa Mesa, CA 92626-7689
Phone: (714) 427-7420
Fax: (714) 427-7799

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,119,764

DATED : October 10, 2006

INVENTOR(S) : Tanaka et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Claims:

- Claim 1, Column 8, line 9, after "disposed" insert --inside--.
- Claim 1, Column 8, line 11, "mater" should be --meter--.
- Claim 1, Column 8, line 13, "pf" should be --of--.
- Claim 2, Column 8, line 15, "to" should be --the--.
- Claim 3, Column 8, line 20, after "of" insert --a--.
- Claim 5, Column 8, line 33, "motivated" should be --activated--.
- Claim 5, Column 8, line 35, "ad" should be --and--.
- Claim 5, Column 8, line 36, "round" should be --around--.
- Claim 5, Column 8, line 37, "openings" should be --opening--.
- Claim 5, Column 8, line 41, the period (.) after "numerical" should be deleted.
- Claim 7, Column 8, line 55, "to" should be --the--.
- Claim 9, Column 9, line 11, "Includes" should be --includes--.
- Claim 11, Column 9, line 15, "an" should be --as--.
- Claim 11, Column 9, line 17, "potion" should be --portion--.
- Claim 11, Column 9, line 19, after "between a" insert--pair--.
- Claim 14, Column 10, lines 10-11, "multifunction" should be --multifunctional--.
- Claim 15, Column 10, line 18, "ti" should be --the--.

MAILING ADDRESS OF SENDER (Please do not use customer number

PATENT NO. 7,119,764

Joseph W. Price
 SNELL & WILMER LLP
 600 Anton Boulevard, Suite 1400
 Costa Mesa, CA 92626

No. of additional copies

